




Digital Serigraphic Technologies A/S
a BJØRN THORSEN A/S company




Printers


COMPATIBLE WITH DST RELEASE LINERS

Format of DST release liners (digital)

a. Paper



b. PET



c. Rolls*



Width 500mm (Xeikon) or 330mm (HP Indigo)
Length 500m (sample) or 2,250m roll

* All make to order

HP Indigo Digital Presses




HP Indigo Series 2 (5500, 5900)

Maximum sheet size: 13x19in (330x480mm)



HP Indigo Series 3 (7k, 7900)

Maximum sheet size: 13x19in (330x480mm)



HP Indigo Series 4 (10000, 12000)

Maximum sheet size: 29x20in (750x530mm)



HP Indigo 6900

Roll width 330mm



[RICOH MP C4504/MP C6004](#)

[RICOH MP C3004/MP C3504](#)

[RICOH SP C820DN/SP C840DN](#)

Sheet sizes: Width: A3



[RICOH Pro C5100S/C5110S](#)

Sheet size: 320x460 or 330x480mm
Maximum printable area: 323x480mm



[RICOH Pro C5200S/C5210S](#)

Sheet size: 320x460 or 330x480mm
Maximum printable area: 323x480mm



[RICOH Pro C7100s/C7200s](#)

Sheet size: 320x460 or 330x480mm
Maximum printable area: 323x480mm



[RICOH Pro C5300S/C5310S](#)

Sheet size: 320x460 or 330x480mm
Maximum printable area: 323x480mm

OKI C910/920 (decommercialized) - Sheet size: 328x457

OKI PRO9541WT – *only with Catalyst WT*

Sheet size: 330x480



Xeikon 3050

Variable roll width from 250 mm to 516 mm (9.8" - 20.3")



Xeikon 3500



Other printers

XEROX

Xerox DC-5000/DC-5000AP

Xerox DC-6000/DC-7000/DC-8000

Xerox DC 12, DC 50

Xerox C60

Xerox V 180

Xerox 8080

Comment: Best results were achieved by using DST White PO mixed with 2% DST Catalyst XP and 4% DTS Retarder. Using DST WB printable adhesives or DST powder adhesives. *Not compatible with DST Platisol Adhesives*



KONICA MINOLTA

Konika Minolta 8060